








SPEAKER BRACKET



WALL BRACKET

WARNING!!! HANGING LOUDSPEAKERS IS A SERIOUS UNDERTAKING THAT SHOULD BE DONE ONLY BY QUALIFIED AND EXPERIENCED PERSONNEL. CHECK WITH AN ARCHITECT OR STRUCTURAL ENGINEER TO VERIFY ANY BUILDING ATTACHMENT POINTS. RENKUS-HEINZ IS NOT RESPONSIBLE FOR ANY NON-RENKUS-HEINZ PRODUCTS OR FOR ANY MISUSE OF RENKUS-HEINZ PRODUCTS.

NOTES:

1. REFERENCE EEE-ICC12/3-RD-1 B.O.M. FOR ASSEMBLY DETAILS.
2. COMPONENT LEVEL DRAWINGS AVAILABLE UPON REQUEST.
- 2.1. AUTOCAD FILES AND SOLIDWORKS MODELS AVAILABLE.

BILL OF MATERIALS		
PART NUMBER	DESCRIPTION	QUANTITY
622-MET116	WALL MOUNT BRACKET	1
622-MET117	WALL HINGE BRACKET	1
622-MET202	INPUT PANEL COVER	1
622-MET208	PCX8 ENCLOSURE	1
622-WS0151	M6 x 1 mm x 14 mm FLAT HEAD PHILLIPS SCREW McMasterCarr PN: 91420A425	3
622-WSS0054	#6-32x3/8 PHLLIPS FLAT HEAD SCREW McMasterCarr PN: 91771A146	8
622-WNS0044	M10 x 1.5 mm SERRATED FLANGE LOCKNUT McMasterCarr PN: 97400A103	2
622-WSS0280	M3 x 0.5 mm x 10 mm PHILLIPS FLAT HEAD SCREWS	4

THE MATERIAL CONTAINED HEREIN IS PROPRIETARY TO RENKUS-HEINZ AND SHALL NOT BE REPRODUCED DISCLOSED OR USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN APPROVAL OF RENKUS-HEINZ.

ECO	REV	DESCRIPTION			DATE	BY		
8983	B	PCX SERIES NOMENCLATURE SWITCH TO 'UBX'; UNI-BEAM PASSIVE.			11/11/22	C.D.		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: DECIMALS ANGLES .XX± .01 ±0° 30" .XXX±.005		INTL		DATE	 RENKUS-HEINZ, inc. TITLE: WWW-RH 922 UBX8 ASSEMBLY			
		DRAWN	DL	05/09/22				
		CHECK						
		DESIGN						
		ENG						
		APPROV						
		APPROV			REF DWG: WWW-RH922			
NEXT ASSY.	USED ON	DO NOT SCALE DRAWING			SIZE D	CODE IDENT	DWG NO.	REV B
APPLICATION		DEBURR AND REMOVE SHARP EDGES			SCALE: 1 = 3		WEIGHT:	SHEET 1 OF 4





THE MATERIAL CONTAINED HEREIN IS PROPRIETARY TO RENKUS-HEINZ AND SHALL NOT BE REPRODUCED DISCLOSED OR USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN APPROVAL OF RENKUS-HEINZ.

WARNING!!! HANGING LOUDSPEAKERS IS A SERIOUS UNDERTAKING THAT SHOULD BE DONE ONLY BY QUALIFIED AND EXPERIENCED PERSONNEL. CHECK WITH AN ARCHITECT OR STRUCTURAL ENGINEER TO VERIFY ANY BUILDING ATTACHMENT POINTS. RENKUS-HEINZ IS NOT RESPONSIBLE FOR ANY NON-RENKUS-HEINZ PRODUCTS OR FOR ANY MISUSE OF RENKUS-HEINZ PRODUCTS.

NOTES:

- 1. REFERENCE EEE-ICC12/3-RD-1 B.O.M. FOR ASSEMBLY DETAILS.
- 2. COMPONENT LEVEL DRAWINGS AVAILABLE UPON REQUEST.
- 2.1. AUTOCAD FILES AND SOLIDWORKS MODELS AVAILABLE.

BILL OF MATERIALS		
PART NUMBER	DESCRIPTION	QUANTITY
622-MET116	WALL MOUNT BRACKET	1
622-MET117	WALL HINGE BRACKET	1
622-MET202	INPUT PANEL COVER	1
622-MET208	PCX8 ENCLOSURE	1
622-WS0151	M6 x 1 mm x 14 mm FLAT HEAD PHILLIPS SCREW McMasterCarr PN: 91420A425	3
622-WSS0054	#6-32x3/8 PHLLIPS FLAT HEAD SCREW McMasterCarr PN: 91771A146	8
622-WNS0044	M10 x 1.5 mm SERRATED FLANGE LOCKNUT McMasterCarr PN: 97400A103	2
622-WSS0280	M3 x 0.5 mm x 10 mm PHILLIPS FLAT HEAD SCREWS	4



PAN & TILT BRACKET






UBX8 WITH PAN & TILT BRACKET ASSEMBLY

THE MATERIAL CONTAINED HEREIN IS PROPRIETARY TO RENKUS-HEINZ AND SHALL NOT BE REPRODUCED DISCLOSED OR USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN APPROVAL OF RENKUS-HEINZ.


ECO	REV	DESCRIPTION	DATE	BY
0983	B	PCX SERIES NOMENCLATURE SWITCH TO "UBX"; UNI-BEAM PASSIVE.	11/11/22	C.D.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: DECIMALS .XX± .01 .XXX±.005		INTL	DATE	TITLE: WW-RH 922 UBX8 ASSEMBLY
		DRAWN	DL	
		CHECK		
		DESIGN		
		ENG		
		APPROV		
		APPROV		
		REF DWG:		
		WW-RH922	SIZE	CODE IDENT
NEXT ASSY.	USED ON	DO NOT SCALE DRAWING	D	DWG NO.
	APPLICATION	DEBURR AND REMOVE SHARP EDGES	SCALE: 1 = 3	WEIGHT:
				SHEET 2 OF 4



THE MATERIAL CONTAINED HEREIN IS PROPRIETARY TO RENKUS-HEINZ AND SHALL NOT BE REPRODUCED DISCLOSED OR USED FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN APPROVAL OF RENKUS-HEINZ.



0.733" [19mm]
THRU-HOLE FOR
GLAND NUTS




WALL MOUNT BRACKET [622-MET116]
M6 SCREW ATTACHMENT POINTS
3 PL

4 PDS BARRIER STRIP

TAP SETTINGS
ROTARY SWITCH KNOB


4 3/8" [111mm]




622-MET132
M10 POLE MOUNT END CAP

M10
SLOTTED SET SCREW


WALL MOUNT PANNING RANGE



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: DECIMALS .XX± .01 .XXX±.005		INTL	DATE	 RENKUS-HEINZ, inc. TITLE: WW-RH 922 UBX8 ASSEMBLY		
		DRAWN	DL			
		CHECK				
		DESIGN				
		ENG				
		APPROV				
		APPROV				
		REF DWG:				
		WW-RH922		SIZE	CODE IDENT	DWG NO.
		DO NOT SCALE DRAWING		D		
NEXT ASSY.		USED ON	APPLICATION	SCALE: 1 = 3		WEIGHT:
				DEBURR AND REMOVE SHARP EDGES		
				SHEET 3 OF 4		



UBX8 TILT RANGE



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: DECIMALS ANGLES .XX± .01 ±0° 30" .XXX±.005		DRAWN	INTL	DATE	 RENKUS-HEINZ, inc. TITLE: WW-RH 922 UBX8 ASSEMBLY		
		CHECK	DL	05/09/22			
		DESIGN					
		ENG					
		APPROV					
		APPROV					
		REF DWG: WW-RH922			SIZE	CODE IDENT	DWG NO.
NEXT ASSY.	USED ON	DO NOT SCALE DRAWING			D		B
APPLICATION		DEBURR AND REMOVE SHARP EDGES			SCALE: 1 = 3		WEIGHT: SHEET 3 OF 3